

LXC Container umziehen

Einfaches Backup-Script um Container von einem Storage auf ein anderes umzuziehen

(C) by James Coyle

```
#!/bin/bash
#
# Filename : migrate
# Description : Migrate Proxmox OpenVZ container from one storage to another
# Author : James Coyle
#
# Version:
# -Date      -Author    -Description
# 20-11-2013 James Coyle Initial
# 13-12-2017 James Coyle Changes for LXC
#
#

# Variables
TMP=/tmp    #Location to use to create the backup for transferring to new storage. This needs to be big
            enough to store the backup archive for the container.

# Do not edit
usage() {
    echo "Usage: $0"
    echo "    [-c Required: Container ID to migrate <int>] "
    echo "    [-s Required: Target storage ID <string>]"
    echo "    [-d Optional: Delete the backup file after CT restoration <boolean>]"
    echo ""
    echo "Example: $0 -c 100 -s nasarray"
    echo ""
    exit 1;
}
```

```
while getopts "c:s:d" o; do
    case "${o}" in
        c)
            CT=${OPTARG}
            ;;
        s)
            TARGET_STORAGE=${OPTARG}
            ;;
        d)
            DELETE=true
            ;;
        *)
            usage
            ;;
    esac
done
shift $((OPTIND-1))

# Check mandatory fields
if [ -z "${CT}" ] || [ -z "${TARGET_STORAGE}" ]; then
    usage
fi

RUNNING=false

set -e
set -o pipefail

echo "Moving $CT to $TARGET_STORAGE..."
if pct list| fgrep -w -q "$CT" | grep "running"
then
    RUNNING=true
fi

if $RUNNING
then
    pct stop $CT
fi

vzdump --dumpdir $TMP $CT
```

```
ARCHIVE=$(ls -t $TMP/vzdump-lxc-$CT-*.tar | head -n 1)

pct restore $CT $ARCHIVE -force -storage $TARGET_STORAGE

if $RUNNING
then
    pct start $CT
fi

if $DELETE
then
    LOG=$(ls -t $TMP/vzdump-lxc-$CT-*.log | head -n 1)
    echo "Deleting $LOG and $ARCHIVE"
    rm -rf $ARCHIVE $TMP/$LOG
fi
```

Revision #1

Created 27 September 2021 22:49:39 by nielsperetzke

Updated 27 September 2021 22:50:34 by nielsperetzke